

**ORDINANCE 3261**

**AN ORDINANCE AMENDING TITLE 13, CHAPTER 12, SECTION 030 OF THE OFFICIAL CODE OF THE CITY OF GREAT FALLS PERTAINING TO THE INDUSTRIAL PRETREATMENT PROGRAM AND PROHIBITED DISCHARGES AND LIMITATIONS**

\* \* \* \* \*

**WHEREAS**, local limits are numerical wastewater limitations that apply to commercial and industrial facilities that discharge to the City’s Publicly Owned Treatment Works (POTW); and

**WHEREAS**, local limits are developed to meet the Pretreatment Program objectives and site specific needs of the local POTW; and

**WHEREAS**, the City has received notice from the United States Environmental Protection Agency that modifications to the City’s local limits have been publicly noticed, no significant comments were received, and that the modifications to the Pretreatment Program are approved.

**NOW, THEREFORE, BE IT ORDAINED BY THE CITY COMMISSION OF THE CITY OF GREAT FALLS, MONTANA:**

Section 1. That Title 13, Chapter 12, Section 030 of the Official Code of the City of Great Falls (OCCGF) is hereby amended as depicted in Exhibit “A” attached hereto, which removes any language indicated by a ~~strike-out~~ and adds language which is **bolded**.

Section 2. This ordinance shall be in full force and effect thirty (30) days after second reading and final adoption by the City Commission.

APPROVED by the City Commission of the City of Great Falls, Montana on first reading August 15, 2023.

ADOPTED by the City Commission of the City of Great Falls, Montana on second reading October 3, 2023.

\_\_\_\_\_  
Bob Kelly, Mayor

ATTEST:

\_\_\_\_\_  
Lisa Kunz, City Clerk

(Seal of the City)

APPROVED FOR LEGAL CONTENT:

---

David Dennis, City Attorney

State of Montana  
County of Cascade  
City of Great Falls

I, Lisa Kunz, City Clerk of the City of Great Falls, Montana, do certify that I did post as required by law and as prescribed and directed by the City Commission, Ordinance 3261 on the Great Falls Civic Center posting board and the Great Falls City website.

---

Lisa Kunz, City Clerk

(CITY SEAL)

Exhibit "A"

Title 13 - WATER AND SEWER AND STORM DRAINAGE

Chapter 12 INDUSTRIAL PRETREATMENT PROGRAM

**13.12.030 Prohibited discharges and limitations.**

...

2. No Significant Industrial User shall discharge wastewater that exceeds the following limits:

**MAXIMUM CONTRIBUTION**

POLLUTANT	SYMBOL	Daily Maximum
Arsenic, Total	As	<del>1.57 mg/l</del> <b>1.32 lbs/day</b>
Cadmium, Total	Cd	<del>3.51</del> <b>0.052 mg/l</b>
Chromium, Total	Cr	<del>5.92</del> <b>1.621 mg/l</b>
Chromium (III)	Cr (III)	0.57 mg/l
Chromium (VI)	Cr (VI)	1.621 mg/l
Copper, Total <sup>1</sup>	Cu	<del>5.37</del> <b>5.84 lbs/day</b>
Lead, Total	Pb	<del>0.14</del> <b>1.087 mg/l</b>
Mercury, Total	Hg	0.02 mg/l
Nickel, Total	Ni	<del>0.59</del> <b>0.612 mg/l</b>
Selenium, Total <sup>1</sup>	Se	<del>1.42</del> <b>1.60 lbs/day</b>
Silver, Total	Ag	<del>0.62</del> <b>0.314 mg/l</b>
Zinc, Total	Zn	<del>2.13</del> <b>2.183 mg/l</b>
Sulfide, Total		<del>3608</del> <b>61.3 mg/l</b>

Exhibit "A"

Title 13 - WATER AND SEWER AND STORM DRAINAGE

Chapter 12 INDUSTRIAL PRETREATMENT PROGRAM

<sup>(1)</sup> The loading specified is the total loading for this pollutant that is available to all Significant Industrial Users. The City shall not allocate more pollutant loading through control mechanisms than is available for discharge as specified in this table.

...

**(Ord. 3261, 2023;** Ord. 3144, 2016; Ord. 3082, ~~§ 1(Exh. A), 11-1-2011~~; Ord. 3050, ~~§ 1, 8-3-2010~~; Ord. 2645, 1993; Ord. 2386 ~~Exh. A (part), 1985, § 13.20.020~~)