

**ORDINANCE 3144**

**AN ORDINANCE AMENDING TITLE 13, CHAPTER 12, SECTION 030 OF THE OFFICIAL CODE OF THE CITY OF GREAT FALLS PERTAINING TO THE INDUSTRIAL PRETREATMENT PROGRAM AND PROHIBITED DISCHARGES AND LIMITATIONS**

\* \* \* \* \*

**WHEREAS**, local limits are numerical wastewater limitations that apply to commercial and industrial facilities that discharge to the City’s Publicly Owned Treatment Works (POTW); and

**WHEREAS**, local limits are developed to meet the Pretreatment Program objectives and site specific needs of the local POTW; and

**WHEREAS**, the City has received notice from the United States Environmental Protection Agency that modifications to the City’s local limits have been publicly noticed, no significant comments were received, and that the modifications to the Pretreatment Program are approved.

**NOW, THEREFORE, BE IT ORDAINED BY THE CITY COMMISSION OF THE CITY OF GREAT FALLS, MONTANA:**

- Section 1. That Title 13, Chapter 12, Section 030 of the Official Code of the City of Great Falls (OCCGF) is hereby amended as depicted in Exhibit “A” attached hereto, which removes any language indicated by a ~~strike-out~~ and adds language which is **bolded**.
- Section 2. This ordinance shall be in full force and effect thirty (30) days after second reading and final adoption by the City Commission, contingent final EPA approval.

APPROVED by the City Commission of the City of Great Falls, Montana on first reading July 5, 2016.

ADOPTED by the City Commission of the City of Great Falls, Montana on second reading August \_\_\_\_\_, 2016.

\_\_\_\_\_  
Bob Kelly, Mayor

ATTEST:

\_\_\_\_\_  
Lisa Kunz, City Clerk

(Seal of the City)

APPROVED FOR LEGAL CONTENT:

---

Sara Sexe, City Attorney

State of Montana     )  
County of Cascade   : ss  
City of Great Falls   )

I, Lisa Kunz, City Clerk of the City of Great Falls, Montana, do hereby certify that I did post, as required by law and as prescribed and directed by the City Commission, Ordinance 3144 in three places within the limits of said City to-wit:

- On the Bulletin Board, first floor, Civic Center Building;
- On the Bulletin Board, first floor, Cascade County Court House;
- On the Bulletin Board, Great Falls Public Library

(Seal of the City)

---

Lisa Kunz, City Clerk

Exhibit "A"

Title 13 - WATER AND SEWER AND STORM DRAINAGE

Chapter 12 INDUSTRIAL PRETREATMENT PROGRAM

**13.12.030 Prohibited discharges and limitations.**

...

2. No Significant Industrial User shall discharge wastewater that exceeds the following limits:

**MAXIMUM CONTRIBUTION**

POLLUTANT	SYMBOL	Daily Maximum
Arsenic, Total	As	1.57 mg/l
Cadmium, Total	Cd	3.51 mg/l
Chromium, Total	Cr	5.92 mg/l
Chromium (III)	Cr (III)	0.57 mg/l
Chromium (VI)	Cr (VI)	0.04 mg/l
Copper, Total <sup>1</sup>	Cu	<del>1.543</del> <b>5.37 lbs/day</b>
Lead, Total	Pb	0.14 mg/l
Mercury, Total	Hg	0.02 mg/l
Nickel, Total	Ni	0.59 mg/l
Selenium, Total <sup>1</sup>	Se	<del>0.281</del> <b>1.42 lbs/day</b>
Silver, Total	Ag	0.62 mg/l
Zinc, Total	Zn	2.13 mg/l
Sulfide, Total		3608 mg/l

Exhibit "A"

Title 13 - WATER AND SEWER AND STORM DRAINAGE

Chapter 12 INDUSTRIAL PRETREATMENT PROGRAM

<sup>(1)</sup> The loading specified is the total loading for this pollutant that is available to all Significant Industrial Users. The City shall not allocate more pollutant loading through control mechanisms than is available for discharge as specified in this table.

...

**(Ord. 3144, 2016;** Ord. 3082, § 1(Exh. A), 11-1-2011; Ord. 3050, § 1, 8-3-2010; Ord. 2645, 1993; Ord. 2386 Exh. A (part), 1985, § 13.20.020)