

**ADDENDUM NO. 2
LIFT STATION 15 VFD & POWER IMPROVEMENTS O.F 1817.1
GREAT FALLS, MT**

KLJ PROJECT # 2304-01761

BID DATE: June 18, 2025

BID TIME: 9:00 AM Local Time

LOCATION: Gibson Conference Room, Great Falls Civic Center

This addendum is written for the purpose of clarification and/or modifications to the Contract Documents. Acknowledgement of Addenda shall be completed with the project bidding.


The following changes and/or clarifications shall be made to and become part of the project plans and specifications.

Specifications

1. Invitation to Bid - Remove the 3rd Publication date of June 15th, 2025, from the Invitation to Bid.

Plans

1. Plan Sheet C6. Add the following note:
 3. Exterior door shall be heavy duty and built to withstand corrosion from the interior and exterior environmental conditions. Door shall be a 16-gauge hollow metal, G90 galvanized, urethane core with sealed top. Frame shall be 16 gauge, G90 galvanized, thermal break, welded up, punch and dimpled. Hinges shall be heavy weighted and attached with stainless steel fasteners with non-removable stainless steel pins. Door shall have full weather stripping with a top rain drip guard.
 4. Handle shall be commercial grade lockable latches with lever type handle. Outside handle shall be a vandal resistant.


Jessica Wagner, PE
June 16, 2025



END OF ADDENDUM NO. 2